HeySmart

THE HOUSE OF TOMORROW... TODAY



SMART SOLUTIONS FOR YOUR HOME

07/26

Welcome

to the smart ecosystem of HeySmart

The wireless revolution turns any system into advanced, connected, easy-to-use home automation.



Discover the advantage of having AI at your service

From security to temperature control, from lighting to automation, HeySmart brings all your IoT devices together in a single intelligent platform, accessible to everyone. It learns from your habits, uses weather forecasts to create your perfect comfort, and controls your lights in time with the music; endless scenarios for endless possibilities.

Remote, Intuitive Control

With HeySmart, you have the power to manage your home wherever you are. Switch on the lights, check and adjust the temperature, see whether doors and windows are closed, and personalise your surroundings as you please.
All with a tap on your smartphone, putting control of your home literally in your hands — and when connected to voice assistants, you can control every device with your voice.





Security and Peace of Mind

With HeySmart, security comes first. Monitor your home with high-definition security cameras, receive real-time notifications and manage access remotely.
HeySmart gives you the peace of mind of knowing your home is always safe, even when you are away.

Smart & Connected

The HeySmart ecosystem keeps growing, with new products and features designed for more efficient management of household energy use.
Controlling lights, sockets and devices lets you optimise energy use, cutting waste through automations, schedules and consumption monitoring. A smarter, more practical home, for more mindful use of everyday resources.






Easy to Install, Simple to Use

HeySmart is designed for everyone.
Product installation is quick and easy, and the intuitive user interface makes using the app a pleasure.
Step into the future of the Smart Home with HeySmart, where technology blends into your everyday life.

A SMART HOME IS A MORE EFFICIENT, PROTECTED AND SECURE HOME

Enjoy your moments with peace of mind, knowing you can monitor and interact with your home wherever you are.





In HeySmart, we believe that IoT technology should make life simpler, more convenient and more efficient. In fact, the HeySmart application and devices are compatible with Amazon Alexa and Google Home voice assistants to control your home with your voice or to create practical scenarios useful to simplify and automate your daily routine.
When your hands are full you won't have to access the application; your voice will be enough to turn on your lights or raise your shutters!

HeySmart

works with Google Home

works with alexa

SIMPLE

Download the App HeySmart

HeySmart

FAST

Connect your product

Wi-Fi

SMART WHEREVER YOU ARE

Control with remote control

Control with App

Check vocal

Make your home smart create connected scenarios in between our automation, security and lighting items.

Find out this logo HeySmart **on** iSNATCH & on **products... LET'S CONNECT!**

Google, Google Play, and Google Home are trademarks of Google LLC. Google Assistant is not available in certain languages and countries. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Apple, the Apple logo, and the App Store are trademarks of Apple inc., registered in the U.S. and other countries and regions.

OUR KEY FEATURES



VIDEO RESOLUTION
Means the video quality at which images are played back and recorded.



NIGHT VISION
Means the ability to see at night in black and white or in colour.



MOTORISED MOVEMENT AND PATROL
Widens the field of view by rotating the camera horizontally and vertically; the patrol function lets it perform pre-set movements



AUDIO
Lets you hear the audio or, with 2-Way audio, also speak through the camera



MEMORY CARD
Means the maximum SD card capacity (not included) supported by the product



BATTERY
If the product is battery powered, means the estimated life in optimal conditions.



MOTION DETECTION
Means that the product has an integrated PIR or microwave detector to record precisely on motion. Or through digital analysis.



TRACKING
Means that the product can record video following any movement it detects



AI FUNCTION
Means that the product can detect people and vehicles, improving notification accuracy and reducing false alarms.



PROTECTION RATING
Means whether the product is suitable for outdoor use and with what protection rating



DOOR RELEASE
Means that the product can open electric locks and gates.



ONVIF
Means that the product supports the standard ONVIF protocol and can be integrated into professional CCTV systems.



HEATING/COOLING
Means that the product can control heating and cooling units.



OPEN WINDOW
Detects if a window is opened while the heating is on.



SCHEDULING
Means the system's ability to switch devices on or off according to a pre-set schedule, countdown or weekly programme.



BOOST
Function for heating the room quickly



TEMPERATURE AND HUMIDITY SENSOR
Maintains a comfortable climate fully automatically, while also optimising energy consumption.



MULTICOLOR
Means the ability to choose from millions of colours in a single device.



MULTICOLOR AND WHITE
Means the ability to choose from millions of colours in a single device, including white light.



COLOUR TEMPERATURE CONTROL
Means the ability to choose the colour temperature to your preference, from cool white to natural and warm.



110°

BEAM ANGLE
Means the angle at which the beam of light lights the room.



DIMMING
BRIGHTNESS ADJUSTMENT
Means the ability to adjust brightness from 0% to 100%.



MAGNETIC
MAGNETIC
Means how the product is mounted.

---

works with Google Home

works with alexa

GOOGLE HOME AND AMAZON ALEXA
Compatibility with the Google Home and Alexa voice assistants lets you integrate the camera into your daily routines, and you can also view cameras on compatible devices with a screen.

INDEX

VIDEO SURVEILLANCE .....p. 6

HeyCam Pro4 ..... p. 9
HeyCam Ultra ..... p. 10
HeyCam Lite ..... p. 11
HeyCam Plus ..... p. 13
HeyCam Mini ..... p. 14
HeyCam Bull Ultra ..... p. 16
HeyCam BullPro ..... p. 17
HeyCam MovePro ..... p. 19
HeyCam FreePro ..... p. 23
HeyCam Free+ ..... p. 25
HeyCamMove4G ..... p. 29
HeyNVRPro ..... p. 31
HeyVideoDoor ..... p. 33
HeyOpen ..... p. 35
HeyLock ..... p. 39
HeyBox ..... p. 43
HeyDoor ..... p. 45
Hey Alarm Pro ..... p. 47
HeySense/HeyMove ..... p. 50
HeyWater/HeySmoke ..... p. 51
HeyGas/HeyCO ..... p. 52

TEMPERATURE CONTROL .....P. 54

HeyThermo+ ..... p. 55
HeyThermo-Free ..... p. 58
HeyThermo ..... p. 60
HeyThermo-Rkit ..... p. 62
HeyWiri+ ..... p. 64

AUTOMATION .....P. 65

HeyPlug16 ..... p. 66
HeyMulty ..... p. 67
HeyPlugOUT ..... p. 68
HeyGarden ..... p. 69
HeyRoll+ ..... p. 70
HeySwitch+ ..... p. 71
HeyRelè ..... p. 72
HeyGateway ..... p. 73

LIGHTING .....P. 74

HeyStrip ..... p. 78
HeyController+ ..... p. 80
HeyController ..... p. 81
HeyTriac Dimmer/Triac remote control ..... p. 82
HeyFlood ..... p. 83
HeyPanel ..... p. 84
HeyLight ..... p. 85
HeyTable ..... p. 86

LIGHT BULBS .....P. 87

HeySpot - HeyCandle ..... p. 88
HeyBulb ..... p. 89
HeyGlobe ..... p. 90
HeyBulbx3 - HeySx3 ..... p. 91


FEEL
ALWAYS
AT HOME



VIDEO SURVEILLANCE & SECURITY

STAY **CONNECTED,** STAY **SAFE!**





HeyCam Pro4

INDOOR 4MP WI-FI PTZ SMART CAMERA **WITH AI, AUTO-TRACKING AND DUAL-BAND WI-FI**


Your home under control, smartly.
HeyCam Pro 4 is an indoor 4MP Wi-Fi PTZ Smart Camera, designed to deliver intelligent, practical and reliable monitoring of your home. With motorised Pan/Tilt control and a wide viewing angle, it makes it easy to survey the room and follow what is happening in real time. The intelligent auto-tracking function automatically follows detected movements, keeping the subject at the centre of the frame. AI features enable the detection of people and pets, improving notification accuracy and reducing false alarms. Dual-band 2.4 / 5 GHz Wi-Fi simplifies installation, with no need for network cables. It integrates two-way audio, 24/7 continuous recording, MicroSD support up to 256 GB and cloud storage for motion events.

KEY FEATURES

- **RESOLUTION:** 4MP video for sharp, detailed images
- **AI SMART DETECTION:** detects people and pets
- **AUTO-TRACKING:** automatically follows detected movements
- **TWO-WAY AUDIO:** talk and listen via the app

Code 67.6894.22

- Video resolution 4Mpx
- Image sensor..... 1/3” Color CMOS
- Lens ..... 4mm fixed
- Viewing angle ..... 85°(D) / 75°(H) / 45°(V)
- Audio ..... Two-way
- Night vision..... Colour and IR, IR range up to 8m
- LED ..... 12 white LEDs & 8 IR LEDs
- Motion..... Digital with tracking
- Micro SD slot..... Yes (Max 256GB)
- Movement..... PanTilt
- Connectivity ..... Wi-Fi 2.4 GHz and 5 GHz
- ONVIF ..... Compatible, profile T
- Power supply ..... Type-c Port 5V/1A
- Protection rating IP20
- AI function ..... Human and pet detection





HeyCam Ultra

INDOOR 3MP WI-FI PTZ SMART CAMERA
WITH AUTO-TRACKING


Smart, continuous monitoring, wherever you are.
HeyCam Ultra is an indoor Wi-Fi PTZ Smart Camera with 3Mpx resolution. With motorised Pan/Tilt control and a wide viewing angle, it makes it easy to survey the room and follow what is happening in real time. The intelligent auto-tracking function automatically follows detected movements, keeping the subject at the centre of the frame. Dual-band 2.4 / 5 GHz Wi-Fi allows simple installation with no network cables. Two-way audio lets you communicate via the app — handy for interacting with people, children or pets even remotely. It supports 24/7 continuous recording, local storage on MicroSD up to 256 GB and cloud storage for motion events.

KEY FEATURES

- **RESOLUTION:** 3MP video for sharp images
- **AI AUTO-TRACKING:** automatically follows detected movements
- **WIDE VIEWING ANGLE:** cover more space with a single camera
- **TWO-WAY AUDIO:** talk and listen via the app

Code 67.6894.23

- Video resolution 3Mpx
- Image sensor..... 1/3” Color CMOS
- Lens ..... 3.6mm fixed
- Viewing angle ..... 85°(D) / 75°(H) / 45°(V)
- Audio ..... Two-way
- Night vision..... IR up to 8 metres
- LED ..... 6 IR sensors
- Motion..... Digital with tracking
- Micro SD slot..... Yes (Max 256GB)
- Movement..... PanTilt
- Connectivity ..... Wi-Fi 2.4 GHz and 5 GHz
- ONVIF ..... Compatible, profile T
- Power supply ..... Type-c Port 5V/1A
- Protection rating IP20
- Material..... Plastic
- Dimensions..... 80x75x120 mm
- AI function ..... Human detection





HeyCamLite

INDOOR WI-FI PTZ SMART CAMERA

AUTO-TRACKING AND DUAL-BAND WI-FI


Simple, reliable monitoring for your home.
HeyCam Lite is an indoor Wi-Fi PTZ Smart Camera with 3MP resolution. With motorised Pan/Tilt control and a wide viewing angle, it makes it easy to survey the room and follow what is happening in real time. The intelligent auto-tracking function automatically follows detected movements, keeping the subject at the centre of the frame. Dual-band 2.4 / 5 GHz Wi-Fi allows quick installation with no network cables. Two-way audio lets you talk and listen via the app, making the camera ideal for keeping an eye on children, pets or indoor spaces. It supports 24/7 continuous recording, local storage on MicroSD up to 256 GB and cloud storage for motion events.

KEY FEATURES

- **RESOLUTION:** 3MP video for clear, detailed images
- **AI AUTO-TRACKING:** automatically follows detected movements
- **AUDIO BIDIREZIONALE:** talk and listen via the app
- **WI-FI DUAL BAND:** supports 2.4 GHz and 5 GHz bands

Code 67.6894.22A

- Video resolution 3Mpx
- Image sensor..... 1/3” Color CMOS
- Lens ..... 3.6mm fixed
- Viewing angle ..... 85°(D) / 75°(H) / 45°(V)
- Audio ..... Two-way
- Night vision..... IR up to 8 metres
- LED ..... 6 IR sensors
- Motion..... Digital with tracking
- Micro SD slot..... Yes (Max 256GB)
- Movement..... PanTilt
- Connectivity ..... Wi-Fi 2.4 GHz and 5 GHz
- ONVIF ..... Compatible, profile T
- Power supply ..... Type-c Port 5V/1A
- Protection rating IP20
- Dimensions..... 75x75x125 mm
- AI function ..... Human detection



WE CARE ABOUT THE **THINGS** YOU **LOVE.**





HeyCamPlus

MOTORISED WI-FI IP CAMERA
FULL-HD 1080P FOR INDOOR USE

Surveillance without Compromise.
HeyCam Plus: neatly designed, compact and easy to install. Its advanced performance makes it ideal for anyone looking for a high-quality surveillance camera with no complications.
Full HD video resolution and 360° movement guarantee clear, sharp images even in night vision up to 8 metres, ensuring precision and security even while you rest. With the Talk&Listen function, communicate and listen in real time, interacting instantly with your loved ones or four-legged friends.
It records 24/7 on a schedule or in response to movement, offering total flexibility. Store videos on micro SD, Cloud server (optional) or your smartphone.

Code 67.6894.20

- Video resolution 1080p
- Image sensor..... 2Mpx CMOS
- Lens ..... 3,6mm Fixed
- Viewing angle ..... 90°
- Audio ..... Two-way
- Night vision..... B/W up to 8m
- IR LEDs..... 6 infrared
- Motion..... Digital with tracking
- Micro SD slot..... Yes (Max 128GB)
- Movement..... PanTilt (355° / 90°)
- Connectivity ..... Wi-Fi 2,4GHz
- ONVIF ..... No
- Power supply ..... 5Vdc / 1,5A
- Protection rating IP20
- Material..... Plastic
- Dimensions..... 93x90x125 mm
- Weight..... 190 g

KEY FEATURES

- **RESOLUTION:** Full HD video.
- **PRIVACY:** Switch off the lens whenever you wish, ensuring privacy and comfort at all times.
- **SOUND DETECTION:** Receive instant notifications when the microphone detects noise.
- **SURVEILLANCE:** Two-way audio with Talk&Listen function.

FULL HD 1080P · HeySmart · TRACKING · MOTION DIGITAL · Wi-Fi 2,4 Ghz · TWO WAY · INFRARED NIGHT VISION · MICRO SD MAX 128 (not included) · TILT V 90° PAN H 355° PATROL FUNCTION

MOTION TRACKING







HeyCam mini

MINI WI-FI CAMERA
HD 720P FOR INDOOR USE

Your discreet eye.
HeyCam Mini, with its ultra-compact design of just 35mm, fits harmoniously into tight spaces or wherever discretion is essential, blending in with its surroundings. The HD lens ensures sharp vision even at night, up to 10 metres. A rechargeable backup battery keeps it running during a blackout or without a Wi-Fi network, for up to 3 hours of continuous recording. It listens to and records ambient audio through the built-in microphone. It works 24/7 on a schedule or in response to movement, with a panoramic view of up to 120°.
Videos can be stored on micro SD, Cloud (optional) or your smartphone.

KEY FEATURES


- **DIMENSIONS**: Compact format, easy to conceal in any room.
- **NIGHT VISION**: Records in the dark without being noticed — the LEDs stay invisible even at night.
- **1-WAY AUDIO:** Listen in via the ambient microphone; having no speaker makes it even more discreet.

HD 720P



Code 67.6894.03

Video resolution	720p
Image sensor	1Mpx CMOS
Lens	2,8mm Fixed
Viewing angle	120°
Audio	One-way
Night vision	B/W up to 10m
IR LEDs	4 infrared
Motion	Digital
Micro SD slot	Yes (Max 64GB)
Movement	No
Connectivity	Wi-Fi 2,4GHz
ONVIF	Compatible
Power supply	5Vdc / 1A
Protection rating	IP20
Material	Plastic
Dimensions	34x34x34 mm
Weight	35 g



SECURITY THAT **SEES** BEYOND EVERY **DETAIL**





HeyCam Bull Ultra

4MP WI-FI BULLET SMART CAMERA WITH AI, PEOPLE AND VEHICLE DETECTION

Intelligent protection inside and outside the home.
HeyCam Bull Ultra AI is a Wi-Fi Bullet Smart Camera with 4MP resolution, for indoor and outdoor use.
AI features enable the detection of people and vehicles, improving notification accuracy and helping to reduce false alarms. Dual-band 2.4 / 5 GHz Wi-Fi simplifies installation, with no need for network cables. Two-way audio lets you listen and talk via the app, while the built-in siren with adjustable volume and duration allows an immediate response when an event occurs. It supports 24/7 continuous recording, local storage on MicroSD up to 256 GB and cloud storage for motion events.

KEY FEATURES

- **RESOLUTION:** 4MP video for sharp, detailed images
- **AI SMART DETECTION:** detects people and vehicles
- **BUILT-IN SIREN:** adjustable volume and duration
- **TWO-WAY AUDIO:** talk and listen via the app

Code 67.6894.25

- Video resolution 4Mpx
- Image sensor..... 1/3” Color CMOS
- Lens ..... 2.8mm fixed
- Viewing angle ..... 103°(D) / 98°(H) / 55°(V)
- Audio ..... Two-way
- Night vision..... IR and colour, up to 15 metres
- LED ..... 2 IR LED sensors & 1 white LED sensor
- Motion..... Digital with tracking
- Micro SD slot..... Yes (Max 256GB)
- Movement..... No, fixed
- Connectivity ..... Wi-Fi 2.4 GHz and 5 GHz
- ONVIF ..... Compatible, profile T
- Power supply ..... DC 12V/1A
- Protection rating IP65
- Material..... Plastic
- Dimensions..... 80×175×150 mm
- AI function ..... Human and vehicle detection

HeySmart

4MP RESOLUTION | AI FUNCTIONS | AI MOTION TRACKING | 8m | ONVIF

2.4/5GHz WI-FI | TWO WAY | COLORED &INFRARED NIGHT VISION | REC 24/7 | MICRO SD MAX 256 GB not included



HeyCam BullPro

WI-FI IP CAMERA **HD-2K FOR OUTDOOR USE**


Reliable, tough, unstoppable!
HeyCam BullPro, the fixed outdoor metal camera with a vandal-proof body and ultra-high 2K video resolution. With its traditional bullet shape, it is the right choice for both home and professional systems.
Any substantial change of pixels in the video is digitally identified as movement: its advanced digital detection system sends instant notifications to your mobile device whenever an image alteration or suspicious movement is detected.
With the Talk&Listen function, communicate and listen in real time, stepping in instantly. It records 24/7, on a schedule or in response to movement, guaranteeing continuous surveillance.
Store videos on micro SD, Cloud server (optional) or manually in your smartphone's memory.

KEY FEATURES

- **VANDAL-PROOF:** Metal structure.
- **RESOLUTION:** 2K video — sharp, stutter-free footage.
- **PRIVACY:** Switch off the lens whenever you wish, ensuring privacy and comfort at all times.
- **SOUND DETECTION:** Receive instant notifications when the microphone detects noise.

Code 67.6894.24

Video resolution	2K
Image sensor	3Mpx CMOS
Lens	3,6mm Fixed
Viewing angle	90°
Audio	Two-way
Night vision	B/W up to 20m
IR LEDs	4 infrared
Motion	Digital
Micro SD slot	Yes (Max 128GB)
Movement	No
Connectivity	Wi-Fi 2,4GHz / RJ45 LAN
ONVIF	Compatible
Power supply	12 Vdc/ 1A
Protection rating	IP66
Material	Metal
Dimensions	180x65x65 mm
Weight	600 g




THE **PERFECT**
SENTINEL
FOLLOWS YOU
AT 360°



HeyCam Move Pro

MOTORISED IP CAMERA
HD-2K FOR OUTDOOR USE



Your personal sentinel.
HeyCam Move Pro: the perfect solution for monitoring your outdoor spaces without leaving any hidden corners. 2K video resolution by day — and in colour at night up to 10 metres — combined with 360° movement delivers complete surveillance. The white LEDs light up the field of view, acting as a floodlight for extra deterrence. With the Talk&Listen function, communicate and listen in real time, stepping in instantly. It records 24/7, on a schedule or in response to movement, guaranteeing continuous surveillance.
Store videos on micro SD, Cloud server (optional) or manually in your smartphone's memory.

Code 67.6894.36

- Video resolution 2K
- Image sensor..... 3Mpx CMOS
- Lens ..... 3,6mm Fixed
- Viewing angle ..... 110°
- Audio ..... Two-way
- Night vision..... Colour and B/W up to 30m
- IR LEDs..... 6 white + 6 infrared
- Motion..... Digital with tracking
- Micro SD slot..... Yes (Max 128GB)
- Movement..... PanTilt (355° / 90°)
- Connectivity ..... Wi-Fi 2,4GHz / RJ45 LAN
- ONVIF ..... Compatible
- Power supply ..... 12 Vdc/ 1A
- Protection rating IP65
- Material..... Plastic
- Dimensions..... 170x150 mm
- Weight..... 360 g

KEY FEATURES

- **RESOLUTION:** 2K video — sharp, stutter-free footage.
- **PRIVACY:** Switch off the lens whenever you wish, ensuring privacy and comfort at all times.
- **SOUND DETECTION:** Receive instant notifications when the microphone detects noise.
- **WHITE LEDS:** Used for colour night vision and as a floodlight that can be activated from the App.

HeySmart · 2K · TRACKING · ONVIF · IP65 · PATROL FUNCTION (TILT V 90° / PAN H 355°) · LAN RJ45 · Wi-Fi 2,4 Ghz · TWO WAY · COLORED & INFRARED NIGHT VISION · MICRO SD MAX 128 GB (not included) · WATER RESISTANT

BLACK-OUT.....
STAY ONLINE!

SKB POWER

Mini UPS

is an essential emergency device, designed to keep your equipment, such as routers or cameras, up and running and online. It steps in automatically whenever the power fails. Reliable, efficient and easy to install.





POWERSAFE LITE

MINI DC UPS 12V & USB

Code 59.6317.70

POWERSAFE PLUS

MINI DC UPS 5,9,12V & USB

Code 59.6317.75

- <5ms
- UP TO 5 HOURS BACKUP
- OK FOR TVCC
- OK FOR ROUTER

WWW.GBCONLINE.IT

VIDEO SURVEILLANCE
CABLE FREE!

OUTDOOR WIRELESS BATTERY CAMERAS

4G

Hey CamFree Pro






Hey Cam Free+



Hey CamMove4G

SMALL, COMPACT, **POWERFUL AND FREE**





HeyCamFreePro

4MP BATTERY-POWERED WI-FI SMART CAMERA WITH PIR, **SIREN AND COLOUR NIGHT VISION**


Freedom of installation, security always connected. HeyCam Free Pro, with 4MP resolution, is a battery-powered Wi-Fi Smart Camera designed to offer maximum freedom of installation and reliable monitoring both indoors and outdoors. The PIR sensor with human detection up to 5-8 metres delivers more precise notifications, helping to reduce false alarms. Colour night vision provides clear images even in poor lighting conditions, while the built-in siren allows an immediate response when an event occurs. Dual-band Wi-Fi makes installation simple, with no need for network cables. Powered by 2 rechargeable batteries, it offers an indicative battery life of up to 2-3 months with 5 detections per day.

KEY FEATURES


- **RESOLUTION:** 1440P Full HD video for sharp images
- **RECHARGEABLE BATTERY:** 5200 mAh in total with up to 2–3 months' battery life
- **PIR + HUMAN DETECTION:** human detection up to 5–8 m
- **COLOUR NIGHT VISION: C**lear images even in low light

Code 67.6894.55

- Video resolution 4Mpx
- Image sensor..... 1/3” Color CMOS
- Lens ..... 2.8mm fixed
- Viewing angle ..... 105°(D) /97°(H) / 55°(V)
- Audio ..... Two-way
- Night vision..... IR and colour, up to 8 metres
- LED ..... 2 IR LED sensors & 2 white LED sensors
- Motion..... PIR up to 8m
- Micro SD slot..... Yes (Max 256GB)
- Connectivity ..... Wi-Fi 2.4 GHz and 5 GHz
- ONVIF ..... No
- Power supply ..... Battery / USB-C / Solar
- Battery capacity..... 5200 mAh
- Solar panel ..... Optional (code 67.6894.56)
- Protection rating IP65
- Dimensions..... 55×65×85 mm
- AI function ..... Human detection









ENERGY SAVING

WITH OPTIONAL SOLAR PANEL
THE BATTERY LASTS MORE THAN 6 MONTHS.

Code 67.6894.56

- Voltage 5V
- Power 3W
- Cable type ..... USB Type-C
- Cable length 3m
- Dimensions ..... 148x116 mm

SOLAR POWER, QUICK INSTALLATION GUARANTEED!






HeyCam Free+

FULL-HD MOTORISED WI-FI CAMERA
BATTERY-POWERED WITH SOLAR PANEL FOR OUTDOOR USE








> 4 months

PANEL INCLUDED

POWER 8W




Take your security to the next level with HeyCam Free+.

Designed specifically for outdoor use and for anyone with Wi-Fi access but no easy way to connect a power supply. Wi-Fi connectivity and the built-in battery provide up to 4 months of battery life, extended further by the supplied 8W solar panel.

Full HD video resolution with dual night-vision modes, both infrared and colour, delivers complete surveillance by day and by night up to 20 metres, with 360° movement. The white LEDs also light up the field of view, acting as a floodlight for extra deterrence.


The built-in PIR sensor, with detection up to 10 metres, lets the camera react to movement promptly and without false alarms. It automatically records short clips, or on a schedule, to micro SD or the Cloud Server (optional) and sends immediate push notifications. With the Talk&Listen function, communicate and listen in real time via the built-in speaker and microphone.



KEY FEATURES

- **RESOLUTION:** Full HD video.
- **SURVEILLANCE:** Two-way audio with Talk&Listen function.
- **SOUND DETECTION:** Receive instant notifications when the microphone detects noise.





CABLE FREE!

YOU WON'T NEED TO USE ANY WIRES FOR THE INSTALLATION.

Code 67.6894.60

- Video resolution 1080p
- Image sensor..... 2Mpx CMOS
- Lens ..... 3,6mm Fixed
- Viewing angle ..... 80°
- Audio ..... Two-way
- Night vision..... Colour and B/W up to 20m
- IR LEDs.....4 white + 2 infrared
- Motion.....PIR up to 10m
- Micro SD slot..... Yes (Max 64GB)
- Movement.....PanTilt (355° / 90°)
- Connectivity .....Wi-Fi 2,4GHz
- ONVIF .....No
- Power supply .....Battery / USB-C / Solar
- Battery capacity.....8000 mAh
- Solar panel 8W
- Protection rating IP66
- Material..... Plastic
- Dimensions..... 150x100x235 mm
- Weight.....620g

PIR TRACKING DETECTION

If the sensor detects the presence of moving subjects, the camera follows them through all their movements.



SECURITY WITHOUT LIMITS





HeyCamMove4G

4G

MOTORISED CAMERA **HD-2K**

4G BATTERY-POWERED WITH SOLAR PANEL FOR OUTDOOR USE

The surveillance camera that follows you everywhere! HeyCam Move 4G: the ideal surveillance solution for places with no Wi-Fi or electricity. Install it anywhere — from the vegetable garden to your mountain home — and keep an eye on everything directly from your smartphone.

Thanks to the 4G SIM slot it connects to the internet on its own, while the built-in rechargeable battery offers up to 2 months of battery life; and if that's not enough, the included panel lets you extend it even further.

Even in shaded areas, the 2-metre cable lets you find the ideal spot to maximise sun exposure.

2K video resolution by day — and in colour at night up to 10 metres — combined with 360° movement delivers complete surveillance.

The camera uses an advanced built-in PIR sensor to detect movement, then sends push notifications, ensuring precise, reliable recordings only when needed.

It records 24/7, on a schedule or in response to movement, guaranteeing continuous surveillance. Store videos on micro SD, Cloud server (optional) or manually in your smartphone's memory.

KEY FEATURES

- **4G SIM SLOT:** 4G connection via SIM, suitable even for the most rural locations.
- **RESOLUTION:** Full HD video.
- **SURVEILLANCE:** Two-way audio with Talk&Listen function.
- **WHITE LEDS:** Used for colour vision even at night.

HeySmart

2K

BATTERY POWER

TRACKING

PIR MOTION DETECTION

10W

TILT V 90° PAN H 355° PATROL FUNCTION

SLOT NANO SIM (not included)


TWO WAY

COLORED & INFRARED NIGHT VISION

MICRO SD MAX 64 GB (not included)

WATER RESISTANT







> 2 MONTHS
PANEL INCLUDED

Code 67.6894.10

- Video resolution 2K
- Image sensor..... 4Mpx CMOS
- Lens ..... 3,6mm Fixed
- Viewing angle ..... 110°
- Audio ..... Two-way
- Night vision..... Colour and B/W up to 10m
- IR LEDs.....4 white + 2 infrared
- Motion.....PIR up to 10m with tracking
- Micro SD slot..... Yes (Max 64GB)
- Movement.....PanTilt (355° / 90°)
- Connectivity .....4G LTE (nano SIM)
- ONVIF .....No
- Power supply .....Battery /USB -C / Solar
- Battery capacity.....10400 mAh
- Solar panel 10W
- Protection rating IP66
- Material..... Plastic
- Dimensions.....150x100x235mm
- Weight.....620g

PIR TRACKING DETECTION

If the sensor detects the presence of moving subjects, the camera follows them through all their movements.




A TRUSTED PARTNER FOR YOUR **BUSINESS**



Hey NVR Pro 2K

SMART WI-FI NVR KIT
WITH 4 WIRELESS CAMERAS




Code 67.6839.75

- Type ..... Wireless NVR
- Channels.....8
- Video inputs .....Wireless
- Video outputs.....1x HDMI, 1x VGA
- Audio outputs.....1x 3.5mm jack
- Video encoding H.265
- Supported video signals.....8*2K, 8*1080p, 8*720p, 8* VGA (wireless signal)
- Video input signals.....2K
- Max video output resolution.....2304x1296 pixel
- Recording modes..... Continuous, Scheduled, Motion
- Frame Rate.....30 fps
- Stream Type .....Video
- Playback.....Simultaneous up to 8 channels
- Playback resolution .....1920x1080 pixel
- Network protocols ..... IP, DHCP, HTTP, DDNS, NTP, P2P
- Cloud .....HeySmart
- Notifications .....Push
- Interfaces.....2x USB 2.0, 1x RJ45
- Supported browsers .....CHROME, FIREFOX
- ONVIF.....Compatible
- CMS.....No
- Storage.....3.5” HDD max. 6TB (not included)
- Backup .....USB, APP
- DVR power supply .....12Vdc - 2A
- Power consumption.....5 W
- Operating temperature .....-10 ~ +55 °C
- DVR dimensions.....254x42x213 mm
- DVR weight.....0.4 Kg
- Image sensor.....1/3.6” 3MP

Smart security, surveillance without borders.
HeyNVRPro is a latest-generation, plug&play 8-channel wireless SMART video recorder, with remote management and viewing via the HeySmart APP.
The kit includes four outdoor bullet cameras with a 3.6mm fixed lens and 3Mpx 2K resolution. The cameras are plug&play and can record simultaneously in continuous mode, on motion detection and/or on an hourly schedule. With the additional camera (code 67.6839.76) you can expand your kit to a total of 8 cameras to watch over all your spaces. HeyNVRPro connects to the router via RJ45, and through the HeySmart application you can watch live video from one or all cameras at once, take a snapshot, record video from the live feed and view the recordings stored in memory.
HeyNVRPro features H.265 encoding software for high-resolution images that take up little hard disk space: more storage for your recordings! (3.5” HDD max 6TB not included). Its distinctive design with two directional antennas covers large areas, letting you position the cameras wherever you like up to a maximum distance of 30m in open air.

KEY FEATURES

- **PRIVATE WIRELESS:** The cameras communicate wirelessly with the NVR over a private Wi-Fi network, with no need for configuration.
- **PLUG & PLAY:** Factory pre-configured cameras to make installation quicker and easier.
- **HD-PORT:** Easily connect HeyNVR to your monitor or TV via an HD cable.
- **HARD DISK:** With H.265 encoding software, HeyNVR optimises hard disk space, giving you more storage for your recordings.



ANSWER,
WHEREVER YOU ARE!





HeyVideoDoor

PLUG&PLAY 4-WIRE VIDEO INTERCOM
SMART WI-FI



The smart video intercom.
HeyVideoDoor is a remotely controllable video intercom, perfect for villas, detached houses and commercial entrances. Comprising a 7” touch monitor and a vandal-proof FULL HD camera with night vision, it can be expanded up to 4 monitors and 2 outdoor units. HeyVideoDoor offers advanced features such as motion detection with video recording, message recording when you are away (directly to micro SD), multimedia functions and audio profiles (home, do not disturb, away). It connects to the internet via Wi-Fi or RJ45. Receive instant notifications on your smartphone when your guest rings the bell, letting you answer and open the door even when you are not at home — convenience and total control directly from your smartphone.

KEY FEATURES

- **RESOLUTION:** Full HD video.
- **SURVEILLANCE:** Two-way audio with Talk&Listen function.
- **MULTIMEDIA:** The monitor can play MP3 sounds and display photos directly from micro SD, recreating a welcoming atmosphere with ambient or background sounds.
- **CCTV:** Wired input for 2 analogue cameras up to 2MP resolution.
- **EXPANDABLE:** Up to 4 monitors and 2 outdoor units.
- **DUAL RELAY:** Independent dual dry-contact relay (NO/NC) for an electric lock or the control unit of an electric gate.

Code 67.6884.45

Screen size	7”
Screen resolution	1024x600 pixel
Outdoor unit resolution	HD
Wi-Fi	2,4 GHz
LAN connection	RJ45
Monitor connection	4 wires
Micro SD slot:	Yes (max 128Gb)
Night vision	3 LED IR
Max distance between monitor and outdoor unit	50 m
Operating temperature	-40 ~ +50 °C
Monitor power supply	15V⎓1A
Outdoor unit power supply	Supplied by the monitor
Monitor dimensions	190x120x20 mm
Outdoor unit dimensions	42x130x30 mm



MANAGE ACCESS
FOR YOUR GUESTS

IDEAL FOR B&BS AND SHORT RENTALS





HeyOpen

SMART WI-FI DOOR OPENER
FOR ELECTRIC LOCKS



Open the door to smart security!
HeyOpen is your professional, intelligent access-control tool, for private homes and hospitality businesses such as B&Bs, as well as companies.

Connected to an electric lock, HeyOpen offers a range of dedicated features, giving you maximum flexibility both remotely via the HeySmart app and on site via PIN codes or proximity cards. With the HeySmart app you can view the complete access history with dates, times and entry methods used; add or remove standard and admin users, assign codes and cards, and set access rules for specific times and days, for up to 200 users.

It's perfect for your B&B.
With HeySmart, you can generate single-use codes or codes with timed validity, simplifying the check-in and check-out process for your guests without the need for physical cards or app registration.

HeyOpen is tough: with its vandal-proof metal body, it is also perfectly suited to outdoor installation. The keypad is soft-touch, backlit and fitted with an internal anti-tamper buzzer. With the built-in doorbell button, you will receive door-opening request notifications.

HeyOpen features a dry-contact relay (NO-COM-NC), which lets you connect the contacts of gate or automation control units simply and in parallel. Even without a Wi-Fi connection, it works as a local reader via PIN or card, retaining its stored settings to guarantee operational continuity.



Compatibility with the Amazon Alexa voice assistant adds a further level of convenience and security: you can open the door with your voice, but only after setting a voice PIN to guarantee maximum protection.



KEY FEATURES

- **WIEGAND:** Compatibility with the Wiegand interface for maximum security.
- **WIRED DOORBELL:** Wired input for integrating an external doorbell.
- **DUAL POWER SUPPLY:** Including AC power for continuous reliability.

Code 68.6810.10

- Body ..... Vandal-proof metal
- Card reader ..... MIFARE - RFID 125KHz
- PIN ..... 6 DIGITS
- Outputs ..... Relay, button, doorbell, Wiegand
- Wi-Fi ..... 2,4 GHz
- Users manageable via App 200
- Operating temperature ..... -10 °C ~ +50 °C
- Dimensions ..... 165 x 44 x 22 mm
- Weight 450g
- Power supply ..... 12 ~ 18 Vdc



Scan the QR code for accessories

GUEST&USER MANAGEMENT

ACCESS TIME CONTROL

HeySmart

GATES AND DOOR OPENING

Wi-Fi 2,4 Ghz


VANDAL PROOF

UP TO 200 USER

PROXIMITY TAG

IP66

GOODBYE KEYS...
MAKE
EVERY ACCESS
SMART AND FAST
FOR YOU AND YOUR
GUESTS.





HeyLock

SMART WI-FI CYLINDER LOCK
WITH KEYPAD AND CARD READER

HeyLock: The smart lock that makes life simpler
Freedom of access, security guaranteed
HeyLock is the revolutionary smart lock that transforms the way you manage access. With a built-in numeric keypad and keycard reader, it offers unprecedented flexibility. Simple installation, universal compatibility. Replace your old European cylinder with HeyLock in a few minutes. It fits doors between 60mm and 90mm thick perfectly, guaranteeing maximum compatibility.
Unbeatable security, even during a blackout

KEY FEATURES

VANDAL-PROOF: All-metal body built to withstand knocks.

TIMED CODES: Set a dedicated code for each user, valid only as long as needed.

INSTALLATION: Compatible with doors with a European cylinder from 60mm to 90mm thick.

Code 68.6810.30

HEY LOCK
- Power supply 1x CR123A 3V
- Emergency power ..... 5V (USB Type-C)
- KeyCard type..... MIFARE 13,56 MHz
- KeyCard memory capacity 100
- Material ..... Zinc alloy/Stainless steel / Aluminium alloy
- Cylinder length ..... 60 ~ 90 mm
- Cylinder type ..... Standard EU
- Average battery life ..... 1 year
- Protection rating IP53
- Operating temperature ..... -10 ~ +50 °C
- Dimensions ..... 63x63x15 mm (Keypad knob w42x42 mm)

GATEWAY:
- Power supply ..... USB 5V 1A
- Wi-Fi 2,4GHz
- BLE protocol ..... Supports local connection
- Supported devices..... Up to 10
- Dimensions..... 63x63x15 mm
- Installation ..... Indoor use only

GUEST&USER MANAGEMENT

ACCESS TIME CONTROL

HeySmart | BATTERY POWER | VANDAL PROOF | INDOOR




Hey Gateway

GATEWAY ZIGBEE
FOR REMOTE MANAGEMENT


CODE 68.6811.00



Made of sturdy stainless steel, HeyLock protects your home from intrusion. Its electronics prevent unauthorised opening, even offline or without power.
Total control from your smartphone. With the HeySmart app and the included gateway, manage access remotely. Open the door to anyone, wherever you are. Personalised codes for every need. Create permanent codes, temporary ones or codes valid only on certain days. Perfect for residents, guests, service staff and guests of hospitality businesses.
Keycard: the intelligent master key
Assign keycards for quick, simple access — ideal for service staff or anyone needing a master key. Intelligent power, no worries
HeyLock runs on a concealed CR123 battery for long life. In an emergency, you can power it via USB-C.







Remote control of the lock takes place via the Gateway which, connecting to the Wifi, relays information to Hey-Lock; this preserves the battery, making it last longer. When you are on site, your phone communicates directly with the lock via BLE, so it can also be used without your home Wifi.

Accessories available:


2 Key Cards
1 Reset Card
2 Keys
2 Suction cups
2 Allen keys for fitting
1 Manual

ACCESSORIES INCLUDED



KEY CARD + RESET | MANUAL KEYS | SUCKER | TOOLS | MANUAL


SHARE
YOUR KEYS
SAFELY!





HeyBox

SECURITY BOX
SMART WI-FI BATTERY-POWERED

HeyBox is a Smart security box with a vandal-proof metal body, remotely controlled and battery powered. You can manage it locally via BT or, when connected to the Wi-Fi Gateway (supplied), manage it wherever you are. Setting it up is simple: once your keys or any other item are safely inside, just set a dedicated code to give to your guest, making check-in and check-out smart for your business. With the HeySmart app you have full control of authorised users and their access codes, managing them with date and time expiry.

KEY FEATURES

- **VANDAL-PROOF:** All-metal body built to withstand knocks.
- **TIMED CODES:** Set a dedicated code for each user, valid only as long as needed.
- **INSTALLATION:** Wall-mounted; advisable in safe, concealed spots for extra security.

Code 68.6810.20

HEY BOX

- Power supply ..... 4 x AAA (not included)
- Operating voltage ..... 4 ~ 6 Vdc
- Battery type ..... Alkaline, lithium or rechargeable
- Emergency power ..... USB Type-C
- Material ..... Aluminium alloy + ABS
- Average battery life ..... 1 year
- Protection rating IPX5
- Operating temperature ..... -10°C ~ +50°C
- Dimensions ..... 105x145x55 mm
- Weight 650g

GATEWAY:

- Power supply ..... USB 5V 1A
- Wi-Fi 2,4GHz
- Supported devices ..... Up to 10
- Dimensions ..... 63x63x15 mm
- Installation ..... Indoor / outdoor

GUEST&USER MANAGEMENT

ACCESS TIME CONTROL


HeySmart | BATTERY POWER | VANDAL PROOF | IPX5


IDENTIFY INSTANTLY
WHO'S RINGING AT
YOUR DOOR



HeyDoor

HD-2K SMART WI-FI PEEPHOLE
FOR ARMOURED DOORS



Your window of security.
HeyDoor is more than a door viewer for security doors: it is an intelligent Wi-Fi security system that needs no external power supply — it runs on (rechargeable) batteries. A large internal display lets you see who is at the door clearly and in detail, even from your smartphone. HeyDoor's camera is made of metal, with compact dimensions and a design that keeps it discreet. 2K resolution and automatic night vision guarantee sharp images at any time. Thanks to the highly reliable built-in sensor, it detects movement up to 5 metres, automatically recording video of the event to a micro SD card and sending instant notifications via the HeySmart app. You can also watch the live feed, access recordings and switch off the sensor whenever you prefer not to be disturbed.

Code 67.6884.70

- Power supply ..... Battery / TypeC
- Battery 5000mAh
- Display ..... 4,3” IPS
- Micro SD: ..... Yes (max 128GB)
- Audio ..... Two-way
- Camera resolution 2K
- Image sensor ..... 3MP CMOS
- Viewing angle: ..... 145°
- Night vision: ..... Infrared
- Motion: ..... Microwave radar
- Detection range: ..... Up to 5m
- Recording modes: ..... Motion / manual
- Wi-Fi: 2,4GHz
- Door thickness: ..... 30 ~ 110 mm
- Door hole diameter: ..... 15 ~ 50 mm
- Camera material: ..... Zinc alloy
- Camera outer diameter: ..... 32 mm
- Monitor dimensions: ..... 116x91 mm

KEY FEATURES

- **DISPLAY:** HD resolution, with a 4,3” monitor.
- **NIGHT VISION:** Records in the dark without being noticed — the LEDs stay invisible even at night.
- **SURVEILLANCE:** Two-way audio with Talk&Listen function.
- **CAMERA:** It blends in completely with a traditional door viewer — you won't notice the difference.
- **INSTALLATION:** Quick and simple — brackets and screws are supplied.


PROTECT
YOUR LOVED ONES.



HeyAlarmPro

SMART ALARM KIT
GSM+WI-FI

HeySmart | PIR MOTION DETECTION | 433MHz FHSS | 105dB | SLOT SIM GSM (not included) | up to 8h BACKUP BATTERY | PLUG & PLAY | Wi-Fi 2,4 Ghz


Your home safe, always connected.
HeyAlarm PRO adopts innovative FHSS (Frequency Hopping Spread Spectrum) wireless technology for even more reliable security. Encrypted, interference-proof communication. Unlike traditional frequencies, FHSS uses a wider communication band and sends constant signals to the control panel. This makes transmission encrypted and considerably less vulnerable to interference and disturbance, guaranteeing stable, secure communication between devices.
Goodbye blind spots. The wider bandwidth of FHSS drastically reduces the risk of blind spots, even in hidden or hard-to-reach rooms. Thanks to this technology, the sensors always communicate effectively with the control panel, ensuring complete, gap-free coverage.
The advantages of HeyAlarm PRO with FHSS Advantages of HeyAlarm PRO with FHSS technology:

KEY FEATURES

- **READY TO USE.**
- **Wi-Fi + GSM:** Continuous protection thanks to dual Wi-Fi and GSM connectivity, ensuring you receive alarm calls and SMS messages even without Wi-Fi.
- **BACKUP BATTERY:** Up to 8 hours of battery life during a power cut.
- **CONTROL PANEL:** Includes a keypad and display for immediate local configuration.



WHAT'S IN THE KIT?



CENTRAL ALARM PANEL



REMOTE CONTROL



DOOR/WINDOW SENSOR



INDOOR PIR

Maximum security:
Encrypted, interference-resistant communication.

Total coverage:
No dead spots, even in tricky areas.

Superior reliability:
Constant, stable signals with no interruptions.

Easy installation:
No special care needed when positioning the sensors.

Code 67.6833.55

- Power supply ..... 5V⎓2A
- Backup battery..... 3.7V - 1000 mAh
- Battery life ..... Up to 8h
- Band ..... GSM 2G /4G
- WI-FI frequency band ..... 2.400~2.4835 GHz
- Sensor band (FHSS)..... 433 MHz
- Built-in siren ..... 105 dB
- Operating temperature ..... -5 ~ +45 °C
- Dimensions..... 187×119×26.5 mm
- Installation ..... Wall/Freestanding (indoor use)
- Colour ..... White

EXPAND THE KIT
WITH ACCESSORIES

OPTIONAL ACCESSORIES


REMOTE CONTROL


DOOR/WINDOW SENSOR


INDOOR PIR


MAGNETIC + VIBRATION SENSOR


INDOOR SIREN


OUTDOOR SIREN


ARMOURED S/F SENSOR

REMOTE CONTROL (Code 67.6833.61)
Additional/replacement remote control. Alarm remote for quickly arming and disarming the system, with extra functions such as Home mode and SOS. Fitted with a built-in anti-tamper switch for greater security. Compatible with HeyAlarm (67.6833.55).

DOOR/WINDOW SENSOR (Code 67.6833.67)
Magnetic sensor for doors and windows with spacers and double-sided fixing tape included for easy installation. Fitted with a built-in anti-tamper switch for additional protection. Compatible with HeyAlarm (67.6833.55).

INDOOR PIR (Code 67.6833.70)
Indoor PIR motion sensor with PET IMMUNE technology, designed to prevent false alarms caused by pets (weighing under 25 kg). Includes a built-in anti-tamper system to guarantee security. Compatible with HeyAlarm (67.6833.55).

MAGNETIC + VIBRATION SENSOR (Code 67.6833.68)
Magnetic+vibration sensor for entrance doors with spacers and double-sided fixing tape included for easy installation. Fitted with a built-in anti-tamper switch for additional protection. Compatible with HeyAlarm (67.6833.55).

INDOOR SIREN (Code 67.6833.84)
Indoor siren, 220V powered with internal backup battery. No connection wires to the alarm control panel. Multiple sirens can be installed on the same system. The audible alarm, with a 95dB speaker, can be heard even at a distance. Compatible with HeyAlarm (67.6833.55).

OUTDOOR SIREN (Code 67.6833.85)
Outdoor siren, 12Vdc powered with internal backup battery. No connection wires to the alarm control panel. Fitted with a built-in anti-sabotage tamper switch, and multiple sirens can be installed on the same system. The audible alarm, with a 95dB speaker, can be heard even at a distance. Compatible with HeyAlarm (67.6833.55).

ARMOURED S/F SENSOR (Code 67.6833.77)
Armoured roller-shutter sensor.
Fitted with a built-in anti-tamper switch for additional protection

Hey Sense

DOOR/WINDOW SENSOR
SMART WI-FI





HeySense is a battery-powered smart Wi-Fi magnetic sensor, ideal for monitoring the opening and closing of doors and windows. With the HeySmart app, you will receive instant push notifications on your smartphone whenever an opening or closing is detected. Notifications are fully customisable via the app, letting you receive alerts only for opening, only for closing, for low battery, or for both actions. HeySense can also be integrated with other smart devices to create personalised automations. For example, you can set it to switch on a light when a door is opened, or to turn off the heating if a window is opened and turn it back on when it closes.

Code 67.6800.67

- Power supply ..... 2x AAA 3V (not included)
- Standby consumption..... <8uA
- Alarm consumption..... <80mA
- Wi-Fi 2.4GHz
- Maximum E.I.R.P. power..... < 20dBm
- Maximum contact distance..... <15 mm
- Operating temperature ..... 0°C ~ +45°C
- TX dimensions..... 71 x 25 x 20mm
- Magnet dimensions ..... 36 x 10 x 17mm



Code 67.6800.61

- Battery power..... 2x CR123A (included)
- USB power 5Vdc 1A
- Wi-Fi frequency..... 2,4 GHz
- RF range ..... 45 m
- PIR range..... 10 m
- Dimensions..... 68x56x56 mm
- Weight..... 10 g

Hey Move

PIR SENSOR
SMART WI-FI



HeyMove is a battery-powered Smart Wi-Fi PIR sensor, designed to detect movement, tampering or temperature changes. With the HeySmart app, you will receive instant push notifications on your smartphone whenever movement is detected. You can integrate HeyMove with other devices in the HeySmart world to create personalised scenarios and control it remotely wherever you are. For example, you can switch the lights on when the sensor detects movement, or lower the roller shutters when a selected temperature is reached.

Hey Water

FLOOD SENSOR
SMART WI-FI



ANTI -FLOOD

INDOOR

Wi-Fi
2,4 Ghz



HeyWater is a battery-powered Smart Wi-Fi flood sensor, designed to detect the presence of water on hard or soft surfaces such as floors and carpets. It is particularly suitable for basements, kitchens and bathrooms. When water creates conduction between the two detection probes, HeyWater activates its internal sounder and sends a notification to the Hey Smart app.
It is recommended for monitoring areas containing water-sensitive equipment such as washing machines, water heaters, dishwashers, sinks and humidifiers.

Code 67.6800.75

- Power supply ..... 2x AA (not included)
- Wi-Fi frequency ..... 2,4 GHz
- Alarm sound level at 1m ..... >85 dB
- Alarm mode ..... 3 short beeps + flashing LED
- Operating temperature ..... 4 - 38°C
- Operating humidity ..... <80%RH
- Protection rating IP65
- Dimensions ..... Ø 80 x 37 mm
- Weight ..... 120 g

Hey Smoke

SMOKE DETECTOR
SMART WI-FI



SMOKE AND TEMPERATURE

INDOOR

Wi-Fi
2,4 Ghz



HeySmoke is a Smart smoke sensor, ideal for homes and offices, which uses photoelectric technology for greater sensitivity in detecting danger.
HeySmoke is battery powered and can be installed in any room (except the bathroom). In an emergency it sounds a powerful audible alarm (around 85dB) and sends an instant notification to the HeySmart app. The flashing LED ensures immediate visibility even in emergency situations. Installation must be carried out in compliance with local regulations.

Code 67.6800.76

- Power supply ..... 2x AA (NOT included)
- Wi-Fi frequency ..... 2,4 GHz
- Alarm sound level at 3m ..... >85 dB
- Smoke sensitivity ..... 0.108-0.141 dB/m
- Heat sensitivity ..... 54 - 70 °C
- Smoke alarm mode ..... 3 short beeps + flashing LED
- Heat alarm mode ..... Repeated beep + flashing LED
- Dimensions ..... Ø 120 x 36 mm
- Weight ..... 145 g



HeyGas

METHANE GAS DETECTOR
SMART WI-FI



METHANE GAS CH4

INDOOR

Wi-Fi 2,4 Ghz

HeyGas is an innovative mains-powered Wi-Fi Methane Gas leak detector, with a visual-acoustic indicator and push notifications via the HeySmart app. Thanks to the highly sensitive built-in sensor, HeyGas can detect dangerous concentrations of methane gas. On detection, it immediately activates its internal sounder and sends push notifications to the HeySmart app over the user's Wi-Fi, guaranteeing a timely warning in an emergency. The device also has an auxiliary output for managing a valve (optional), allowing the gas supply to be shut off in an emergency. This auxiliary output can also be monitored and managed remotely via Wi-Fi with the HeySmart app.

Code 67.6800.78

- Power supply ..... 100 - 240V ~ 50/60Hz
- Wi-Fi frequency ..... 2,4 GHz
- Gas detected ..... Natural methane gas CH4
- Alarm sound level at 1m ..... >70 dB
- Alarm mode ..... Repeated beep + flashing LED
- Auxiliary output voltage ..... 11 - 13V 0,5A
- Operating temperature ..... -10 + 55°C
- Operating humidity ..... <95%RH (non-condensing)
- Dimensions ..... 89,5x89,5x38 mm
- Weight ..... 125 g

HeyCO

CARBON MONOXIDE SENSOR



ALARM 85 dB

INDOOR

Wi-Fi 2,4 Ghz

Meet HeyCO, the smart WiFi carbon monoxide sensor — an essential device for the safety of your home, B&B or holiday home. Compliant with the EN50291-1 standard, this sensor offers reliable protection against the invisible danger of carbon monoxide. —With a built-in siren and light indicator, it can also alert you via app notification if dangerous levels are detected, wherever you are. Installation is quick and simple, with no complicated configuration needed.



Code 67.6800.77

- Power supply ..... 3 x AA (Included)
- Wi-Fi frequency ..... 2.4 GHz
- Gas detected ..... Carbon Monoxide (CO)
- Alarm sound level at 1m ..... 85 dB
- Alarm mode ..... Repeated beep + flashing LED
- Operating temperature ..... -10 +55 °C
- Operating humidity ..... <95%RH (non-condensing)
- Dimensions ..... Ø105x39 mm
- Weight ..... 141 g

Hey MotoTV

THE HOUSE OF TOMORROW... TODAY



SMART CONTROL

REMOTE CONTROL

DISCOVER THE COMPLETE RANGE OF HEYSMART PRODUCTS TO CONTROL YOUR HOME REMOTELY, IN AN EFFICIENT AND INNOVATIVE WAY.
MAKE YOUR NEEDS SMART, WITH OUR DEVICES.

HeySmart

Download on the App Store

GET IT ON Google Play

23" → 55"

WI-FI 2,4Ghz | 30 kg | 400x400 fino a / up to

VERTICAL MOTION



cod. JL42883/SMART

Hey MotoTV 2355

VERTICAL MOTION



cod. JL42884/SMART

Hey MotoTV 3280

32" → 80"

WI-FI 2,4Ghz | 35 kg | 400x400 fino a / up to

THE **COMFORT** YOU NEED



TEMPERATURE CONTROL

SET THE **RIGHT TEMPERATURE** FOR YOUR **RETURN**





HeyThermo+

SMART WI-FI **THERMOSTAT**

HeySmart | TOUCH SCREEN | POWER SUPPLY 230 Vac | HEATING & COOLING | WEEKLY PROGRAM.



KEY FEATURES

SUMMER CHANGEOVER
You can easily switch the thermostat's operating mode via the app or the touch panel to activate cooling systems during the warmer months.

FROST PROTECTION
Automatically activates frost-protection mode when it detects very low temperatures, protecting the pipes from corrosion or freezing.

HOLIDAY MODE
Set a preset temperature for a specific period (up to 30 days) without changing your normal schedule. Useful for saving energy and ensuring a comfortable return home.


CHILD/GUEST LOCK
Via the app or the panel, you can activate the panel lock to prevent accidental changes. This function is also useful for preventing guests or external staff from adjusting the temperature without authorisation.



Code 49.6830.35 - **BLACK**



Code 49.6830.34 - **WHITE**






ADVANTAGES FOR YOU

- **COMFORT:** The climate you want when you return, with geolocation and remote temperature control.
- **ALSO SUITABLE FOR ROOMS, FLATS TO RENT OR B&BS:** Adjust the temperature for your guests or temporarily share access to HeyThermo+ via the App.
- **INTEGRATION:** Integrate HeyThermo+ with other HeySmart devices to create personalised home-automation scenarios.

Code 49.6830.34 White / Code 49.6830.35 Black

- Power supply ..... 90-240V~ 50/60Hz
- Operating temperature ..... +5°C ~ +35°C
- Accuracy..... 0,5°C
- Passive relay ..... Max 5A
- WiFi internet connection..... 2.4GHz
- Installation ..... Wall-mounted on 503 box
- Dimensions ..... 130x90x29 mm




IDEAL FOR
BOX 503

Take comfort to the next level

Smart Wi-Fi programmable thermostat with a backlit soft-touch panel.
Installation is ideal for new-generation flats: it requires a 230V power supply and connects directly to the boiler wires; it is designed for direct mounting on a 503 box.
With weekly programming, it precisely manages heating and cooling systems, including operation in cooling mode.
It is possible to adjust the temperature both locally, using the soft-touch panel, and remotely via the HeySmart app on your smartphone.
Compatible with voice assistants such as Amazon Alexa and Google Home.

WIRING DIAGRAM



THE **COMFORT** FOR **EVERY HOME**







WIFI GATEWAY INCLUDED

BATTERY POWER

HeyThermo-Free

BATTERY-POWERED **SMART WI-FI THERMOSTAT**

HeySmart

Wi-Fi 2,4 Ghz

HEATING & COOLING

TOUCH SCREEN

WEEKLY PROGRAM.

130x90x22 mm



ADVANTAGES FOR YOU

- **INSTALLATION WITHOUT COMPLICATIONS:** thanks to battery operation and the Wi-Fi connection, you avoid costly electrical work.
- **ALSO SUITABLE FOR ROOMS, FLATS TO RENT OR B&BS:** Adjust the temperature for your guests or share access temporarily.
- **INTEGRATION:** Integrate HeyThermoFREE with other HeySmart devices to create personalised home-automation scenarios.

KEY FEATURES

EXPANDABLE
The gateway supports up to 15 thermostats, allowing independent management of each room. With the HeySmart app, you can manage your rooms either independently or in groups.

SUMMER CHANGEOVER
You can easily switch the thermostat's operating mode via the app or the touch panel to activate cooling systems during the warmer months.

FROST PROTECTION
Automatically activates frost-protection mode when it detects very low temperatures, protecting the pipes from corrosion or freezing.

HOLIDAY MODE
Set a preset temperature for a specific period (up to 30 days) without changing your normal schedule. Useful for saving energy and ensuring a comfortable return home.

CHILD/GUEST LOCK
Via the app or the panel, you can activate the panel lock to prevent accidental changes.


Code 49.6830.40 White / Code 49.6830.41 Black

THERMOSTAT:

- Power supply ..... 2 x AA 1,5V
- Operating temperature ..... +5°C ~ +35°C
- Accuracy ..... 0,5°C
- Sensor ..... NTC (10k) 1%
- Passive relay ..... Max 5A
- Zigbee 3.0
- Wi-Fi ..... Via gateway
- Installation ..... Wall-mounted
- Dimensions ..... 130x90x22 mm

GATEWAY:

- Zigbee 3.0
- Wi-Fi 2,4GHz
- Power supply ..... USB 5Vdc 1A




IDEAL FOR
BOX 503

Total freedom, no wires

Take temperature control to the next level with HeyThermo-Free: the battery-powered SMART Wi-Fi thermostat with a backlit soft-touch panel. It connects directly to the boiler wires and is designed for direct mounting on a 503 box; it needs no external power supply and replaces a traditional thermostat with no extra work. With weekly programming, it precisely manages heating and cooling systems, including operation in cooling mode. The dry-contact relay makes it compatible with most thermostats. Compatible with voice assistants such as Amazon Alexa and Google Home

WIRING DIAGRAM



SMART THERMOSTAT, THE **COMFORT** THAT **SAVES ENERGY**





HeyThermo

SMART WI-FI **THERMOSTAT**

HeySmart | DIRECT INSTALLATION | Wi-Fi 2,4 Ghz | POWER 230 Vac | WEEKLY PROGRAM.



ADVANTAGES FOR YOU

- **COMFORT:** The climate you want when you return, with geolocation and remote temperature control.
- **ALSO SUITABLE FOR ROOMS, FLATS TO RENT OR B&BS:** Adjust the temperature for your guests or temporarily share access to HeyThermo via the App.
- **INTEGRATION:** Integrate HeyThermo with other HeySmart devices to create personalised home-automation scenarios.

KEY FEATURES


FROST PROTECTION
Automatically activates frost-protection mode when it detects very low temperatures, protecting the pipes from corrosion or freezing.

HOLIDAY MODE
Set a preset temperature for a specific period (up to 30 days) without changing your normal schedule. Energy savings and comfort guaranteed.

CHILD/GUEST LOCK
Via the app or the panel, you can activate the key lock to prevent accidental changes. This function is also useful for preventing guests or external staff from adjusting the temperature without authorisation.

Code 49.6830.33

- Power supply ..... 90-240V~ 50/60Hz
- Operating temperature range ..... 1-70°C
- Settable temperature range..... 5-35°C
- Accuracy .....0,5°C
- Output relay 5A/240V
- Internet connection ..... Wi-Fi 2.4GHz
- Installation ..... Wall-mounted on 503 box
- Dimensions .....130x90x25 mm




IDEAL FOR **BOX 503**

Control at your fingertips via App


Smart Wi-Fi programmable thermostat with touch-sensitive keys and a backlit display, for intuitive, practical control. It connects directly to the boiler wires and requires a 230V power supply — ideal for direct mounting on a 503 box.
With weekly programming, it precisely manages heating and cooling systems, including operation in cooling mode. The temperature can be adjusted both locally, using the soft-touch panel, and remotely via the HeySmart app on your smartphone. Compatible with voice assistants such as Amazon Alexa and Google Home.

WIRING DIAGRAM



IDEAL TEMPERATURE IN EVERY **ROOM**







HeyThermo-Rkit

SMART THERMOSTATIC VALVE **KIT**



HeySmart
SOFT TOUCH
BABY LOCK
BATTERY POWER
OPEN
M30 x 1,5mm STANDARD SIZE
BOOST



ADVANTAGES FOR YOU

- **ENERGY SAVING:** The “Open” function detects a rapid temperature drop and shuts the valve to avoid wasting energy.
- **QUICK AND EASY INSTALLATION:** Adapters included — no tools needed to fit HeyThermo-R to the valve.
- **INTEGRATION:** Integrate HeyThermo-R with other HeySmart devices to create personalised home-automation scenarios.

KEY FEATURES

“BOOST” FUNCTION
To heat the room quickly, it opens the valve fully when needed.

EXPANDABLE
Up to 15 valves. With the HeySmart app, manage rooms individually or in groups .

FROST PROTECTION
Automatically activates frost-protection mode when it detects very low temperatures, protecting the pipes from corrosion or freezing.

HOLIDAY MODE
Set a preset temperature for a specific period (up to 30 days) without changing your normal schedule. Energy savings and comfort guaranteed.

CHILD/GUEST LOCK
Via the app or the panel, you can activate the key lock to prevent accidental changes.

Code 49.6830.00

THERMOSTATIC VALVE:

- Power supply ..... 2x AA 1,5V (not included)
- Operating temperature ..... +5°C ~ +35°C
- Sensor ..... NTC (10k) 1%
- Zigbee 3.0
- Wi-Fi ..... Via gateway
- Dimensions ..... 55x95 mm
- Installation ..... M30 x 1,5 mm


GATEWAY:

- Zigbee 3.0
- Wi-Fi 2,4GHz
- Power supply ..... USB 5Vdc 1A

Heat and save.

It is ideal for controlling your home heating precisely and practically, adjusting each room to your liking; perfect for all systems with central heating. With soft-touch keys and a child-lock function, it guarantees maximum safety. The Boost function can be activated for immediate warmth, while the built-in open-window detection optimises energy consumption. The temperature can be adjusted both locally, using the soft-touch keys, and remotely via the HeySmart app on your smartphone. Simple installation with M30 valve connection and adapters included. A single gateway can control up to 15 valves. Compatible with voice assistants such as Amazon Alexa and Google Home.

WIRING DIAGRAM



EXPAND YOUR KIT WITH HeyThermo-R

ADDITIONAL THERMOSTATIC VALVE

(Code 49.6830.01)





ADVANTAGES FOR YOU

- **QUICK INSTALLATION:** With a USB connection and an intuitive in-app guide, pairing your remote control is simple.
- **EASY, FAST, SMART:** Your remote-controlled devices become smart, giving you remote control via the app and voice assistants.
- **INTEGRATION:** Integrate Wiri+ with other HeySmart devices to create personalised home-automation scenarios.



HeyWiri+

UNIVERSAL IR REMOTE CONTROL
SMART WI-FI

KEY FEATURES

BUILT-IN TEMPERATURE AND HUMIDITY SENSORS
Maintains a comfortable climate in the room fully automatically, while also optimising energy consumption.

360° OPERATING RANGE
Install the device centrally and manage all the surrounding appliances with ease.

HeySmart | TEMPERATURE SENSOR | Wi-Fi 2,4 Ghz | TIMER | UP TO 100 DEVICES


CODE 68.6810.05

- Power supply ..... 5V 1A (USB Type-C)
- IR frequency band..... 38KHz
- IR range ..... Up to 10m(within operating range)
- Wi-Fi 2,4GHz
- Temperature measurement range ..... +0°C ~ +50°C
- Humidity measurement range ..... 0% RH ~ 99% RH
- Temperature accuracy ..... +/- 1°C
- RH humidity accuracy..... +/- 5%
- Material..... ABS
- Dimensions ..... 65x65x17 mm


Make your IR remotes SMART

HeyWiri+ is the ideal device for making your air conditioner Smart: in a few simple steps, with no installation or building work needed, it lets you adjust the temperature remotely through the HeySmart app; thanks to the built-in sensor, it can keep it constant automatically.
HeyWiri+ can replicate the signal of an infrared remote control, making your TV or Hi-Fi system remotely manageable too, and can command up to 100 devices within its 360° operating range. Manage switching on, switching off and adjustments directly from the HeySmart App or with your voice.

WIRING DIAGRAM



360° REMOTE CONTROL



MAKE **YOUR** HABITS **SMART**



AUTOMATION



ADVANTAGES FOR YOU

- **ENERGY SAVING:** Monitor consumption and switch off unused appliances.
- **EVERYDAY COMFORT**: Simplify your daily routine, automatically managing tasks from your morning alarm to leaving the house.
- **INTEGRATION:** Integrate HeyPlug16 with other HeySmart devices to create personalised home-automation scenarios.

Hey Plug16

SMART WI-FI SOCKET

KEY FEATURES

POWER METER
Monitor and reduce energy consumption.

TIMER AND COUNTDOWN:
Schedule the socket for specific periods or weekly times to suit your needs.

PHYSICAL BUTTON
If there is no internet connection or in an emergency, control your appliance manually.



CODE 68.6810.50

- Type ..... Smart Wi-Fi
- Plug ..... Schuko
- Socket ..... Schuko
- Max load ..... 3500 W
- Voltage ..... 250 V
- Switch ..... Yes
- Connection ..... Wi-Fi 2,4GHz
- Body ..... Plastic







Smart Control, a Simpler Life!

With a maximum power of 3500W and a 16A capacity, this socket adapts to your everyday needs.
Connect HeyPlug16 to your home Wi-Fi and set it up easily via the HeySmart app to access all its functions.
You can control electronic devices from your smartphone, switch lamps and appliances on and off, and set timers to automate daily tasks.
Enable notifications to monitor energy consumption and optimise household efficiency.
Compatible with voice assistants such as Amazon Alexa and Google Home.



ADVANTAGES FOR YOU

- **ENERGY SAVING:** Monitor consumption and switch off unused appliances.
- **TOTAL CONTROL:** Switch up to 3 appliances on and off simultaneously via the app or a voice assistant.

Hey Multy

3-WAY POWER STRIP SMART WI-FI

KEY FEATURES

SAFETY
Shuttered outlets on every socket.

TIMER AND COUNTDOWN
Schedule the socket for specific periods or weekly times to suit your needs.

PHYSICAL BUTTON
If there is no internet connection or in an emergency, control your appliance manually.

HeySmart | Wi-Fi 2,4 Ghz | 10A/16A SCHUKO | TIMER | LOAD 3500W MAX

CABLE 1,50m | 16A | WEEKLY PROGRAM | 3 POSITIONS


CODE 22.6853.10

- Type ..... Smart Wi-Fi
- Positions 3
- Sockets 10-16-Shuko
- Plug 16A
- Switch ..... Yes
- Protection ..... No
- Max load ..... 3500 W
- Voltage ..... 250 V
- Connection ..... Wi-Fi 2,4GHz
- Cable length ..... 1.5 m
- Cable cross-section ..... 3x1 mm²
- Body ..... Thermoplastic
- Protection rating IP20
- Colour ..... White
- Dimensions ..... 220x55x32 mm

Power and control at your command!

Smart Wi-Fi power strip with 3 universal multi-standard sockets. Monitor and manage the power to your devices simultaneously and remotely. With a total load capacity of up to 3500W, it integrates easily into your HeySmart home-automation scenarios, for automated control of the appliances connected to it. Compatible with voice assistants such as Amazon Alexa and Google Home.

WIRING DIAGRAM





ADVANTAGES FOR YOU

- **ENERGY SAVING:** Monitor consumption and switch off unused devices.
- **SMART OUTDOOR:** Turn your outdoor space into a smart environment. Automate the watering and lighting of your garden, terrace or balcony with a simple tap.
- **INTEGRATION:** Integrate HeyPlugOUT with other HeySmart devices to create personalised home-automation scenarios.



HeyPlug OUT


DOUBLE SOCKET SMART WI-FI FOR OUTDOOR USE

KEY FEATURES

INDEPENDENT OUTPUTS
Give each one a name and manage them with Google or Alexa, switching them on or off simply with your voice.

POWER METER
Monitor and reduce energy consumption.

MASTER PHYSICAL BUTTON:
If there is no internet connection or in an emergency, control your appliance manually.



CODE 68.6810.55

- Type ..... Smart Wi-Fi
- Positions 2
- Sockets ..... Schuko
- Plug ..... Schuko
- Switch ..... Yes
- Protection ..... No
- Max load ..... 4000 W
- Voltage ..... 250 V
- Connection ..... Wi-Fi 2,4GHz
- Cable length ..... 0.13 m
- Body ..... Thermoplastic
- Protection rating IP44
- Dimensions ..... 105x185x37 mm

Manage your outdoor spaces the Smart way

With a load capacity of up to 2000W per socket, it lets you control your outdoor devices optimally. Connect HeyPlug Out to a power socket and set it up easily via the HeySmart app to manage irrigation systems, garden lights and decorative fountains, all from your smartphone. The two independent sockets let you schedule switching on and off, set timers and plan weekly actions, offering flexibility and convenience. Compatible with voice assistants such as Amazon Alexa and Google Home.


PROTECTIVE SHUTTERS


INDICATOR LED SWITCH


WALL-MOUNTING SLOT



ADVANTAGES FOR YOU

- **SUSTAINABLE SAVING:** Weather synchronisation avoids waste and guarantees efficiency.
- **COMPATIBILITY:** The supplied adapter and standard connection make it compatible with most taps.
- **FLEXIBLE USE:** Battery powered, with no connecting wires.

HeyGarden

SMART WI-FI GARDEN IRRIGATION TIMER

KEY FEATURES

PERFECT WATERING:
HeySmart receives real-time weather forecasts and HeyGarden adapts to optimise watering.

PHYSICAL BUTTON:
If there is no internet connection or in an emergency, control your device manually via the button or BT.

HeySmart | Wi-Fi 2,4 Ghz | STANDARD 3/4" | IRRIGATION TIMER | WEEKLY PROGRAM | WATER RESISTANT | TIMER | 4xAAA

CODE 68.6810.40


WIRELESS IRRIGATION TIMER
- Wireless range..... Up to 20m (in open field)
- Tap connection.....3/4"
- Operating temperature ..... 4°C ~ 45°C
- Protection rating IP55
- Power supply ..... 4x AA 1,5V (not included)


Wi-Fi GATEWAY
- Wi-Fi band 2,4GHz
- Operating temperature .....-10°C ~ +45°C
- Power supply 100-250Vac 50/60Hz

Smart Watering, worry-free!

HeyGarden is the perfect solution for efficient, waste-free watering. With a standard ¾" tap connection and a hose adapter included, installation is quick and simple.
It runs on batteries and connects to the Wi-Fi gateway, making it remotely manageable. With the HeySmart app, you can manage the watering of your garden or green-house directly from your smartphone, setting the timer or a weekly schedule. Compatible with voice assistants such as Amazon Alexa and Google Home.

WIRING DIAGRAM





ADVANTAGES FOR YOU

- **ENERGY SAVING:** Manage opening and closing according to the weather, reducing heating or cooling energy use even when you are not at home.
- **EVERYDAY COMFORT:** Simplify your daily routine, automatically managing tasks from your morning alarm to leaving the house.
- **INTEGRATION:** Integrate HeyRoll+ with other HeySmart devices to create personalised home-automation scenarios.



Hey Roll+

SMART WI-FI **MODULE KIT FOR ROLLER SHUTTERS**

KEY FEATURES

360° USE:

You can control the shutters via the APP. If there is no internet connection, the system works independently with the remote control or an up/down button (not included).

REMOTE CONTROL:

Ideal for anyone who needs to use the devices in the traditional way too.


HeySmart

Wi-Fi 2,4 Ghz

CODE 68.6810.61

- Type ..... Smart Wi-Fi + RF
- Max load ..... 720 W
- Max current ..... 3 A
- Voltage ..... 100-250 V
- Electrical connection ..... Screw terminals
- Outputs 2
- Connection ..... Wi-Fi 2,4GHz + RF
- Material ..... Plastic
- Dimensions ..... 46x42x25 mm

WIRING DIAGRAM



Revolutionise the way you experience your home

HeyRoll+ Smart roller-shutter module with remote control. It turns a traditional roller-shutter button into a SMART solution. Installable in a 503 box or on a DIN rail (bracket included) thanks to its compact size; it supports a maximum load of up to 3A(720W). Via the app you can manage: opening, closing, time schedules and group control (with several modules). The module also has an input for connecting a traditional button which, together with the included RF remote control, lets you conveniently operate the shutters locally even without Wi-Fi. HeyRoll+ can be controlled via the HeySmart App, Google Home and Alexa voice assistants, a wired button and the supplied remote control. Combine it with your HeySmart devices to create practical scenarios for everyday life!



ADVANTAGES FOR YOU

- **EVERYDAY COMFORT**: Optimise your time and simplify your daily routine with the automatic switch-on and switch-off function, from your morning alarm to leaving the house.
- **EASY, FAST, SMART:** Turn your traditional lighting system into a Smart solution, without replacing it.
- **INTEGRATION:** Integrate HeySwitch+ with other HeySmart devices to create personalised home-automation scenarios.



HeySwitch+

SMART WI-FI **MODULE KIT FOR LIGHTING CONTROL**

KEY FEATURES

360° USE

You can control the lights via the APP. If there is no internet connection, the system works independently with the remote control or a switch (not included).

REMOTE CONTROL


Ideal for anyone who needs to use the devices in the traditional way too.

HeySmart | Wi-Fi 2,4 Ghz | LOAD 2000W MAX

CODE 68.6810.67

- Type ..... Smart Wi-Fi + RF
- Max load ..... 2000 W
- Max current ..... 10 A
- Voltage ..... 100-250 V
- Electrical connection ..... Screw terminals
- Outputs 1
- Connection ..... Wi-Fi 2,4GHz + RF + BLE
- Material ..... Plastic
- Dimensions ..... 52x47x18 mm

WIRING DIAGRAM



Smart Lighting, remotely

The kit includes a smart Wi-Fi micro-module with a maximum capacity of 10A/2000W and a wireless remote control, and is designed to turn a traditional switch into a powerful home-automation solution for controlling the lighting in your home.
Installable directly in a 503 box or on a DIN rail (bracket included), it integrates perfectly into your surroundings. With the HeySmart app you can switch the lights on as you arrive home or at dusk, or to make life easier for your loved ones. You can also control switch-off, set time schedules and manage several devices as a group. Compatible with voice assistants such as Amazon Alexa and Google Home.



ADVANTAGES FOR YOU

EASY, FAST, SMART: Turn your system or actuator into a Smart solution, without excessive costs.

INTEGRATION: Integrate HeyRelè with other HeySmart devices to create personalised home-automation scenarios.



Hey Relè

SMART WI-FI **MODULE WITH DRY CONTACT**

KEY FEATURES

360° AUTOMATION

Remotely operate different types of electrical systems such as lighting, actuators, pumps, motor control units and electric locks.

WIRED BUTTON INPUT

Connect a switch or wired button directly to HeyRelé for local manual control even with no internet connection.


HeySmart

Wi-Fi 2,4 Ghz

CODE 68.6810.63

- Power supply 100-240V 50/60Hz
- Installation ..... DIN rail or flush-mounted
- Wi-Fi ..... 2,4 GHz 802.11 b/g/n
- Channels ..... 1 (max. passive load 5A)
- Output ..... Dry contact NO/NC
- Wired input ..... Button
- Dimensions ..... 39x39x18 mm

WIRING DIAGRAM



Powerful control, just a Voice away

HeyRelé is an advanced home-automation module incorporating a dry-contact relay. It manages a wide range of electrical systems — such as lighting, actuators, pumps, motor control units and electric locks — precisely and safely. With its versatility, you can manage and automate any device or system to make it smart. Powered at 230V and fitted with an input for manual control via a button, installable on a DIN rail (bracket included) or flush-mounted, HeyRelé becomes an essential addition to your smart home. Connect it to the Wi-Fi network and, through the HeySmart app, monitor and manage the relay contact remotely. For example, you can set how long a gate with an electric lock stays open for the arrival of the cleaner or your children coming home, programming the timer to open or close the contact to suit your needs. Compatible with voice assistants such as Amazon Alexa and Google Home.



ADVANTAGES FOR YOU

INTEGRATION: Lets you integrate third-party Zigbee devices into the HeySmart family to create personalised home-automation scenarios.



Hey Gateway

GATEWAY ZIGBEE
FOR REMOTE MANAGEMENT


KEY FEATURES

BRIDGE:
Makes any Zigbee device remotely controllable.

THINK BIG:
Ideal for large systems: using Zigbee technology, several devices can be connected without overloading the Wi-Fi network.

HeySmart

WIRING DIAGRAM



CODE 68.6811.00

- Power supply .....USB 5V 1A
- Zigbee.....3.0
- Wi-Fi .....2.4 GHz
- Dimensions..... 60x60 mm

Expand the Capabilities of Your Smart Home

The Zigbee Wi-Fi Gateway turns any device with Zigbee technology into a Wi-Fi device for remote management. USB powered, it connects to the network over Wi-Fi for easy installation. Ideal for use with HeyThermoFree and HeyThermo-R on large systems

CHOOSE THE **RIGHT LIGHT** AND MAKE THE **DIFFERENCE**




LIGHTING


SMART LIGHTING

Make Every Moment Magical

TURN YOUR HOME INTO AN OASIS OF COMFORT AND STYLE WITH HEYSMART, THE SOLUTION YOU'VE BEEN LOOKING FOR TO LIGHT EVERY CORNER WITH PERSONALITY AND PRACTICALITY.

Discover how HeySmart can change your everyday life.
Step into the future of lighting with us!

CUSTOMIZATION WITHOUT LIMITS:
Thanks to the Wi-Fi connection and the intuitive HeySmart app, you have total remote control of your lighting, putting the power of personalisation at your fingertips.



DOWNLOAD THE APP



TAILOR-MADE BRIGHTNESS:
Switch on, switch off or adjust the colour tone with a simple tap, creating the perfect atmosphere for every moment.
HeySmart gives you the flexibility to adapt your lighting to your needs and the mood of the moment.
Choose from endless colour combinations the one that suits your needs, or light your rooms in white to create the perfect atmosphere.

LIGHTS AND SCENARIOS:
Make the most of the HeySmart application's full potential with pre-set scenarios, from soft light with the dimmer function to colour fades, creating the right lighting for your needs in every room of your home.
Compatible with the Alexa and Google Home voice assistants.



CREATE THE **RIGHT ATMOSPHERE!**

MUSIC & LIGHT:
With your Smartphone's microphone you can activate the Party Mode and Music Sync functions, making the lights move in time with the music and giving your party the right rhythm.





SIMPLIFY YOUR ROUTINE:
Set automatic switch-on and switch-off times to simplify your day.
Save time and wake up to the perfect light, starting every morning on the right foot.

PACKAGING DESIGN



Light colour type

Badge

Energy class

KEY DATA:
luminous flux, power, cap type, etc

HeyStrip 2m 5m

SMART WI-FI RGBW LED STRIP KIT
WITH REMOTE CONTROL



Lighting is an essential part of every home.
With HeySmart LED strips, the lighting in your room is fully customisable, and through the HeySmart App or voice assistants it can be managed simply and intuitively, adapting it to your every need.

WI-FI
2,4 Ghz

12V

IN/OUTDOOR

HeySmart

RGB

4000K
NATURAL




KEY FEATURES


VERSATILE
Perfect for decorative use or for lighting rooms.

360° CONTROL
Use the remote control, the HeySmart App or the Alexa and Google Home Voice Assistants.

MULTICOLOR:
Choose from endless colour combinations the one that suits your needs, or light your rooms in natural white.

RGBW COLOR






ADVANTAGES FOR YOU

- **PLUG & PLAY:** Power adapter, controller and remote control included in the kit, for quicker, easier installation.
- **JUST THE WAY YOU WANT IT!** Our strip is designed to be cut every 10cm, creating unique, personalised arrangements.

2m		5m	
RGB	9W	RGB	22W
WHITE	14W	WHITE	36W
LUMEN/m	580	LUMEN/m	580
	360°		360°

The secret of a perfect atmosphere

Our Smart LED Strip kit includes everything you need to light up your room and add atmosphere. With the HeySmart App or the remote control, total control is always at your fingertips, letting you make the most of everything your HeyStrip can do: from party mode to music sync, soft light with the dimmer function, scheduled switch-ons and colour fades, creating the right lighting for your needs in every room of your home. Compatible with the Alexa and Google Home voice assistants.



Power adapter, controller and infrared remote control supplied.
PLUG & PLAY

Code 23.6804.20 - 2m

- Number of LEDs ..... 60 LED/m
- Power supply 12Vdc 1A
- Power ..... 23 W
- Length ..... 2 m
- Lumen ..... 1160 lm
- Lifespan ..... 30.000 h
- Protection rating IP65
- Colour ..... RGB + 4.000°K
- Power adapter included ..... 230V ~ 50/60Hz - 12Vdc 1A
- Beam angle ..... 120°
- Remote control dimensions ..... 80x50 mm
- Wi-Fi frequency ..... 2,4 Ghz

Code 23.6804.30 - 5m

- Number of LEDs ..... 60 LED/m
- Power supply 12Vdc 2A
- Power ..... 58 W
- Length ..... 5 m
- Lumen ..... 2900 lm
- Lifespan ..... 30.000 h
- Protection rating IP65
- Colour ..... RGB + 4.000°K
- Power adapter included ..... 230V ~ 50/60Hz - 12Vdc 2A
- Beam angle ..... 120°
- Remote control dimensions ..... 80x50 mm
- Wi-Fi frequency ..... 2,4 GHz

HeyController+

SMART CONTROLLER FOR DIGITAL LED STRIPS RGB AND RGBW



ADVANTAGES FOR YOU

EASY, FAST, SMART: Turn your traditional lighting system into a Smart solution, without replacing it.

12/24V

DIMMING

DIGITAL

WI-FI 2,4 Ghz

HeySmart

RGBW

CCT

KEY FEATURES

OPTIONAL REMOTE CONTROL

Lets you manage the lighting without using the app or voice commands.(Code 68.6810.71T).

SCENARIOS:

Create your switch-on scenario, combine different colours to create the lighting best suited to the moment, or design it just as you like!

Smart lighting, Digital control.

Code 68.6810.71

- Input voltage ..... 12 / 24 Vdc
- Output current ..... 8 A
- Rated power ..... 96 / 192W
- Radio frequency ..... 2.4 GHz
- Protection rating IP20
- Dimensions ..... 120x43x27 mm

The smart Wi-Fi dimmer controller for LED strips is the perfect choice for turning your traditional LED strips into intelligent solutions. You can upgrade your existing system or integrate it into new installations for total control directly from your smartphone via the HeySmart App. With HeyController+, you get a range of advanced functions — including dimmer, timer, scheduled switch-on and group commands — that make managing your lights easier than ever. HeyController+ integrates perfectly with other HeySmart devices, letting you create personalised scenarios that fit your daily routine. Compatible with the Alexa and Google Home voice assistants.

HeyController

SMART WI-FI CONTROLLER
4 IN 1 FOR LED STRIPS



ADVANTAGES FOR YOU

EASY, FAST, SMART: Turn your traditional lighting system into a Smart solution, without replacing it.

12/24V

DIMMING

WI-FI 2,4 Ghz

HeySmart

RGBW

CCT

KEY FEATURES

GROUP CONTROL
Allows radio-frequency pairing with other HeyController modules for centralised lighting management.

OPTIONAL REMOTE CONTROL
Lets you easily manage different lighting zones without using other devices or interfaces. (Code DGCTC112RGBW).

MULTICOLOR:
Choose from endless colour combinations the one that suits your needs, or light your rooms in whichever shade of white you prefer.

Smart lighting, intuitive control.

Code 68.6810.69

- Input voltage ..... 12 / 24 Vdc
- Input current..... 15,5A
- Output current.....5CH x 3A (max 15A)
- Output power ..... 5CH x (36-72W) max. 360W
- Wi-Fi .....2.4 GHz
- Dimensions.....120x43x35 mm
- Weight.....55 g

The smart Wi-Fi dimmer controller for LED strips is the perfect choice for turning your traditional LED strips into intelligent solutions. You can upgrade your existing system or integrate it into new installations for total control directly from your smartphone via the HeySmart App. With HeyController, you get a range of advanced functions — including dimmer, timer, scheduled switch-on and group commands — that make managing your lights easier than ever. HeyController integrates perfectly with other HeySmart devices, letting you create personalised scenarios that fit your daily routine. Compatible with the Alexa and Google Home voice assistants.

HeyTriac Dimmer

SMART WI-FI **TRIAC DIMMER**





Turn your 230V dimmable lighting system into a smart solution with HeyTriac. This flush-mounted module, compatible with a 503 box, converts a traditional dimmable-light button into an intelligent solution. With a maximum load capacity of up to 1,5A (300W), HeyTriac offers the flexibility to select the Leading Edge and Trailing Edge Triac Dimmer functions via a switch on the module itself. It also has an input for connecting a traditional button, allowing both traditional and remote-control operation, even without Wi-Fi. Compatible with the Alexa and Google Home voice assistants.

Code 68.6810.68

- Type ..... Smart Wi-Fi + RF
- Max load ..... 300 W
- Max current ..... 1.5 A
- Voltage ..... 100-250 V
- Electrical connection ..... Screw terminals
- Outputs 1
- Connection ..... Wi-Fi 2,4GHz + RF
- Material ..... Plastic
- Colour ..... White
- Dimensions ..... 52x52x25 mm
- Weight ..... 50 g



Triac Remote Control

REMOTE CONTROL **FOR HEYTRIAC DIMMER**



Code 68.6810.68T

- Power supply 1x CR2032 3V
- RF ..... 2.4 GHz
- Range ..... Up to approx. 30m

Optional remote control for the HeyTriac module (Code 68.6810.68). It can manage up to 10 modules at once, offering unrivalled convenience. Thanks to the pairing button built into the modules, pairing is quick and intuitive

HeyFlood

LED FLOODLIGHT SMART WI-FI FOR OUTDOOR USE WITH REMOTE CONTROL



ADVANTAGES FOR YOU

- **GROUP CONTROLS:** With the included remote control, you have the power to manage one or more floodlights at once.
- **PRESENCE SIMULATION:** Automatically switch outdoor lights on and off, creating the illusion that someone is home even when you are away.

20W | 20W=100W | IP65

LUMEN 1620 (120°) | 110° | WI-FI 2,4 Ghz | 230V

HeySmart | RGB | CCT

KEY FEATURES

APP FUNCTIONS

Set colour fades, sync with music and create captivating light effects for one or more floodlights, with ease and versatility.

MULTICOLOR:

Choose from endless colour combinations the one that suits your needs, or light your rooms in whichever shade of white you prefer.

Code 23.6894.51

- Power: 20 W
- Equivalent to: 100 W
- Colour temperature: 2700 - 6500K (RGB+CCT)
- Luminous flux: 1620 lm
- Beam angle: 110°
- LED type: SMD2835 - SMD5050
- Average lifespan: 25000h
- ON/OFF cycles: 12500
- Energy class: F
- Material: Aluminium + Glass
- Protection rating: IP65
- Power supply: 220 ~ 240Vac / 50Hz
- Wi-Fi: 2.4 GHz
- Dimensions: 157 x 101 x 56 mm
- Weight: 335 g

Light and colour for your outdoor spaces, made simple

The Multicolor and white light smart WI-FI floodlight is perfect for lighting gardens, terraces and balconies creatively.
Installation is simple thanks to the built-in wall bracket and the quick connector for mains connection. What is more, with the included remote control you can easily manage a single floodlight or a whole group of HeyFlood floodlights. The HeySmart App ensures convenient, intuitive remote control and management from your smartphone at all times. Compatible with the Alexa and Google Home voice assistants.

HeyPanel

SMART WI-FI LED PANEL
FOR INDOOR USE







ADVANTAGES FOR YOU

PLUG&PLAY: The ideal solution for replacing your old ceiling lamp and lighting a workspace, or adding a splash of colour to a room on special occasions.

40W

60x60

LUMEN 4200 120°

DRIVER INCLUDED

HeySmart

RGB

CCT

KEY FEATURES

APP FUNCTIONS
Set colour fades, sync with music and create captivating light effects for one or more panels, with ease and versatility.

MULTICOLOR:
Choose from endless colour combinations the one that suits your needs, or light your rooms in whichever shade of white you prefer.

Code 23.6822.00

- Power ..... 40 W
- Power supply 230Vac
- Luminous flux ..... 4200 lm
- Light type ..... RGB + CCT
- Colour temperature ..... 3000 / 4000 / 6000 °K
- Beam angle ..... 120 °
- CRI ..... >80
- LED type 2835
- Protection rating IP20
- Lifespan ..... 30000 h
- Installation ..... Recessed
- Base material ..... Aluminium
- Cover material ..... Plastic
- Dimensions ..... 595x595x10 mm
- Weight ..... 2500 g
- Energy efficiency ..... E

Light your spaces, just the way you want!

The LED Smart Wi-Fi Multicolor and white light panel is perfect for lighting workplaces or other rooms creatively. Installation is simple: just recess it into a standard 60x60cm suspended ceiling or, with the accessories, install it suspended (Code 23.0222.78) or surface-mounted (Code 23.0222.75).
Manage HeyPanel conveniently from your Smartphone, intuitively and practically — even in groups, to easily control several panels at once, guaranteeing uniform, personalised lighting in every room. Compatible with the Alexa and Google Home voice assistants.

Hey Light

LED CEILING LIGHT
SMART WI-FI



ADVANTAGES FOR YOU

QUICK AND EASY INSTALLATION:
Replace your old ceiling light, connect the wires using the terminals provided and set up the app in a few steps.

LED **30W**

\- + **DIMMING**

LUMEN **1800**


230V

HeySmart

CCT

KEY FEATURES

SMART INTEGRATION
Combine HeyLight with other HeySmart devices and simplify your daily routine.



Code 23.0221.80

- Power..... 30 W
- Lumen..... 1800 Lm
- Number of LEDs.....60
- Incandescent equivalent..... 115 W
- LED type.....2835
- Beam angle ..... 120°
- Lifespan..... 20.000 hours
- CCT colour ..... 3000K - 5000K
- Protection rating IP20
- Power supply .....230 Vac
- Dimensions (DxH)..... 400x50 mm
- Weight.....1200 g
- Material.....Metal (base), Plastic (cover)

Simply Smart

The smart Wi-Fi LED ceiling light with CCT technology lets you select the colour temperature best suited to your needs, from warm to natural to cool white. Its clean, practical design fits perfectly into both workspaces and homes. Installation is quick, with a direct connection to the 230V mains and to the WI-FI network via the HeySmart App. Manage HeyLight conveniently from your smartphone, intuitively and practically — even in groups, to easily control several lights at once, guaranteeing uniform, personalised lighting in every room. Compatible with the Alexa and Google Home voice assistants.

HeyTable

LED TABLE LAMP
SMART WI-FI



ADVANTAGES FOR YOU

CHROMOTHERAPY: Find serenity, create the perfect atmosphere and free your mind from everyday stress by adjusting the colours and intensity of the light in your rooms.

LED **30W**

ø20cm

360Lm

WI-FI 2,4 Ghz

ON/OFF BUTTON

HeySmart · RGB · CCT

KEY FEATURES

APP FUNCTIONS

Enjoy light effects synced to your music, or choose from the pre-set scenarios directly in the HeySmart app.

BIORHYTHM LIGHT



MUSIC SYNC LIGHT



WAKE UP LIGHT



LIVING LIGHT



Code 23.6800.10

- Number of LEDs 48
- Power supply ..... 5V ⎓ 1A
- Power ..... 5 W
- Colour temperature ..... 2.700 - 6.500K + RGB
- Lumen ..... 360 lm
- Lifespan ..... 20.000 h
- Protection rating IP20
- Beam angle ..... 120°
- Material ..... Polycarbonate + glass
- Dimensions ..... 205x205x205 mm
- Weight ..... 0,5 kg

Light and atmosphere for your every moment

HeyTable: your table or bedside lamp in elegant opal glass, with multicolour and selectable white functions for personalised lighting.Using the included USB cable and power adapter, it connects to the HeySmart app via Wi-Fi, and directly from your smartphone you can adjust colour changes, shades and dimming, or manage timed or group switch-on. It's perfect for any room: lounge, bedroom, living room, even for parties and events. Compatible with the Alexa and Google Home voice assistants.

CREATE **THE PERFECT ATMOSPHERE** FOR EVERY **OCCASION**



The Smart ON bulbs are innovative devices that integrate technology with lighting to offer a range of advanced, practical functions.

The LED RGB+CCT Series lets you create endless light effects, choosing from millions of colours, party or soft-light modes, right up to music synchronisation.
To round off the functions, you can also simply choose your favourite shade of white to create uniform, welcoming ambient lighting.
The Smart bulbs can be integrated with other Smart Home devices and voice assistants, letting users control them with voice commands or create personalised scenarios.

For even more immediate, versatile control, the Hey Smart series includes a dedicated remote control, **HEYCOLOR+** (runs on 2 AAA batteries): an intuitive controller for managing ON/OFF switching, adjusting RGB colours and regulating CCT temperature, giving you full command of your home atmosphere even without a smartphone.



Hey Color+

REMOTE CONTROL FOR HEY SMART BULBS

Code 23.6835.06

- Batteries: 2x AAA 1,5V (not included)
- Frequency band: 2.400 ~ 2.480MHz
- Dimensions: 105x50x15 mm

ON/OFF

DIMMING

x15

RGB

CCT



PACKAGING: BOX



Hey Spot

SMART WI-FI SPOTLIGHT
LED GU10





Hey Color+
REMOTE CONTROL

GU10


5W

LUMEN 400 360°

F

RGB CCT

PAR16



Code 23.6835.42

- Cap: GU10
- Shape: Spot
- Type: GU10
- Power: 5W
- Equivalent to: 25W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux:400 lm
- Dimmable: Yes
- LED TYPE: SMD
- Beam angle: 120°
- Cover: Frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



PACKAGING:
BOX

Hey Candle

SMART WI-FI BULB
LED CANDLE





Hey Color+
REMOTE CONTROL

E14


4,8W

LUMEN 470 360°

F

RGB CCT

C37



Code 23.6835.11

- Cap: E14
- Shape: Candle
- Type: C37
- Power: 4.8W
- Equivalent to: 40W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux: 470 lm
- Dimmable: Yes
- LED TYPE: SMD
- Beam angle: 180°
- Cover: Frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan:15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



PACKAGING:
BOX



Hey Bulb

SMART WI-FI BULB
LED A65





Hey Color+
REMOTE CONTROL

E27

11W


LUMEN 1050 360°

F

RGB

CCT

A65





PACKAGING:
BOX

Code 23.6835.23

- Cap: E27
- Shape: Pear
- Type: A65
- Power: 11W
- Equivalent to: 75W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux: 1050 lm
- Dimmable: Yes
- LED TYPE: SMD
- Beam angle: 200°
- Cover: Frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan:15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz

Hey Bulb

SMART WI-FI BULB
LED A65





Hey Color+
REMOTE CONTROL

E27

14W


LUMEN 1400 360°

F

RGB

CCT

A65





PACKAGING:
BOX

Code 23.6835.24

- Cap: E27
- Shape: Pear
- Type: A65
- Power: 14W
- Equivalent to: 94W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux: 1400 lm
- Dimmable: Yes
- LED TYPE: SMD
- Beam angle: 200°
- Cover: Frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



Hey Globe

SMART WI-FI BULB
LED GLOBE G95





Hey Color+
REMOTE CONTROL

E27

11W


LUMEN 1050 360°

F

RGB

CCT

G95





PACKAGING:
BOX

Code 23.6835.31

- Cap: E27
- Shape: Globe
- Type: G95
- Power: 11W
- Equivalent to: 75W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux: 1050 lm
- Dimmable: Yes
- LED TYPE: SMD
- Beam angle: 200°
- Cover: Frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz

Hey Globe

SMART WI-FI BULB
LED GLOBE G120





Hey Color+
REMOTE CONTROL

E27

14W


LUMEN 1400 360°

F

RGB

CCT

G120





PACKAGING:
BOX

Code 23.6835.35

- Cap: E27
- Shape: Globe
- Type: G120
- Power: 14W
- Equivalent to: 94W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux: 1400 lm
- Dimmable: Yes
- LED TYPE: SMD
- Beam angle: 200°
- Cover: Frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



Hey Bulb x3

KIT OF 3 SMART WI-FI BULBS
LED A65





Hey Color+
REMOTE CONTROL
INCLUDED

E27


10W

LUMEN 806 360°

F

RGB CCT

A65



Code 23.6835.22/KIT

- Cap: E27
- Shape: Pear
- Type: A65
- Power: 10W
- Equivalent to: 60W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux: 806Lm
- Dimmable: Yes
- LED type: SMD
- Beam angle: 200°
- Cover: frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



PACKAGING:
BOX

Hey Spot x 3

KIT OF 3 SMART WI-FI SPOTLIGHTS
LED GU10





Hey Color+
REMOTE CONTROL
INCLUDED

GU10


5W

LUMEN 400 360°

F

RGB CCT

PAR16



Code 23.6835.40/KIT

- Cap: GU10
- Shape: Spot
- Type: GU10
- Power: 5W
- Equivalent to: 25W
- Light type: RGB + CCT
- Colour temperature: 2700-6500 °K
- Luminous flux: 40Lm
- Dimmable: Yes
- LED type: SMD
- Beam angle: 120°
- Cover: Frosted
- Colour rendering index (CRI): 80
- Power supply: 230 Vac
- Average switching cycles: 7500
- Average lifespan: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



PACKAGING:
BOX

HeySmart

THE HOUSE OF TOMORROW... TODAY

GBCONLINE.IT find us on facebook

www.heysmart.it

KON.EL.CO.

Kon.El.Co. S.p.A. Viale Valtellina, 33 - 20092 Cinisello Balsamo (MI) - Italy

Copyright Kon.El.Co. All rights reserved. All trademarks and product names shown are the property of their respective owners.
The images are for illustrative purposes only. The technical and/or aesthetic features of the products may be changed without prior notice.

COD. AGCATHEY26/UK